



企业简介

COMPANY PROFILE




青岛金茂润专用车辆有限公司成立于2005年，是一家出口型企业，主要生产和销售各类手推车及配件，手推车轮子，轮胎，及其他金属制品和塑料制品，例如花园滚筒，塑料车斗，塑料轮辐等。

公司重视质量管理和产品的安全性能，始终坚持向客户提供质量可靠的产品。为保证产品的高质量，我们建立了完善的贯穿于整个生产过程的质量体系，既能保证客户大批量订单的及时供货，又可为多品种、小批量客户专门生产。目前产品远销40多个国家和地区，高质量的产品赢得了用户的好评。

Qingdao Jinmaorun Handtruck Co.,Ltd., which was established in 2005, is an export oriented enterprise mainly dealing with fabricate and sale of various kinds of wheelbarrows and hand trucks, wheelbarrow tires and wheels, and other metal products and plastic products such like garden rollers, plastic tray, plastic rim, etc.

Our company insists on providing reliable products for the customers and emphasizes quality management and safety of products. We also established perfect quality control system to ensure the products of top quality. Not only can we guarantee the timely delivery of large orders but also arrange production for small orders with multiple models. Our products are sold very well in more than 40 countries and regions and enjoy great reputation among our customers.

	01-18	WHEEL BARROW 手推车
	19-22	HAND TROLLEY 货仓车
	23	PLATFORM HAND TRUCK 平板车
	24	GARDEN ROLLER 花园滚筒
	25-26	TOOL CART 工具车
	27-30	PNEUMATIC WHEEL 气胎轮
	31-32	PU FOAM WHEEL 发泡轮
	33-34	SOLID WHEEL 实心轮



WB0203

Load(kg)	10
Water Capacity	20
Sand Capacity	1
Wheel	3.00-4
LxHxCxAxBxh	920x380x385x590x430x225



WB0100

Load(kg)	5
Water Capacity	10
Sand Capacity	0.4
Wheel	5.5"x1"
LxHxCxAxBxh	720x365x345x500x380x95



WB0102

Load(kg)	5
Water Capacity	9
Sand Capacity	0.4
Wheel	6.5"x2.4"
LxHxCxAxBxh	810x400x375x475x370x110



WB0103

Load(kg)	10
Water Capacity	10
Sand Capacity	0.4
Wheel	5.5"x1"
LxHxCxAxBxh	755x300x330x465x375x120



WB0200

Load(kg)	10
Water Capacity	22
Sand Capacity	0.6
Wheel	8"x1.75"
LxHxCxAxBxh	890x320x305x580x410x220



WB0201

Load(kg)	10
Water Capacity	22
Sand Capacity	0.6
Wheel	8"x1.75"
LxHxCxAxBxh	890x350x300x590x430x225



WB0202

Load(kg)	10
Water Capacity	22
Sand Capacity	0.6
Wheel	200x50
LxHxCxAxBxh	830x320x305x590x430x225





PW2046(38.5x7cm)



PW2047(38x7.9cm)



PW2044(35x7.2cm)



PW2045(36x7.5cm)



PW2043(39x6.8cm)



PW2040(33x6.5cm)

WB6400

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 4.00-8
LxHxCxAbxh

**WB6400-1**

Load(kg) 150
Water Capacity 65
Sand Capacity 5
Wheel 15"x3"
LxHxCxAbxh

**WB6281**

Load(kg) 150
Water Capacity 65
Sand Capacity 5
Wheel 15"x3"
LxHxCxAbxh

**WB6400X**

Load(kg) 160
Water Capacity 65
Sand Capacity 5
Wheel 4.00-8
LxHxCxAbxh

**WB7202**

Load(kg) 130
Water Capacity 78
Sand Capacity 5
Wheel 4.00-8
LxHxCxAbxh

**WB7302**

Load(kg) 160
Water Capacity 97
Sand Capacity 5
Wheel 15"x3"
LxHxCxAbxh

**WB6220**

Load(kg) 160
Water Capacity 65
Sand Capacity 5
Wheel 4.00-8
LxHxCxAbxh

**WB6220-1**

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 4.00-8
LxHxCxAbxh

**WB6223**

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 4.00-8
LxHxCxAbxh

**WB6280**

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 14"x4"
LxHxCxAbxh

**WB6283**

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 3.25/3.00-8
LxHxCxAbxh

**WB6287S**

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 3.25/3.00-8
LxHxCxAbxh

**WB6226**

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 4.00-8
LxHxCxAbxh

**WB4688**

Load(kg) 160
Water Capacity 80
Sand Capacity 5.5
Wheel 14"x2.5"
LxHxCxAbxh



WB5204

Load(kg) : 80
 Water Capacity : 65
 Sand Capacity : 5
 Wheel : 4.00-6
 LxHxCxAxBxh : 1270x610x570x805x605x200

**WB5206**

Load(kg) : 80
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-6
 LxHxCxAxBxh : 1310x540x570x910x640x255

**WB5405**

Load(kg) : 120
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1240x660x705x910x640x255

**WB6211**

Load(kg) : 120
 Water Capacity : 65
 Sand Capacity : 5
 Wheel : 4.00-6
 LxHxCxAxBxh : 1350x600x705x845x680x210

**WB6204**

Load(kg) : 120
 Water Capacity : 65
 Sand Capacity : 5
 Wheel : 3.50-8
 LxHxCxAxBxh : 1290x545x560x820x665x250

**WB6224**

Load(kg) : 120
 Water Capacity : 60
 Sand Capacity : 4.5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1500x640x530x850x650x230

**WB3090**

Load(kg) : 150
 Water Capacity : 260
 Sand Capacity : 12
 Wheel : 6.50-8
 LxHxCxAxBxh : 1450x605x840x1215x870x440

**WB6406S**

Load(kg) : 100
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 3.50-6
 LxHxCxAxBxh : 1310x560x730x910x640x255

**WB6221**

Load(kg) : 120
 Water Capacity : 60
 Sand Capacity : 4.5
 Wheel : 3.50-8
 LxHxCxAxBxh : 1480x600x560x845x650x230

**WH4400-1**

Load(kg) : 120
 Water Capacity : 66
 Sand Capacity : 4
 Wheel : 3.50-8
 LxHxCxAxBxh : 1480x450x545x930x675x185

**WB6407**

Load(kg) : 120
 Water Capacity : 65
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1260x575x570x845x685x230

**WB6410**

Load(kg) : 130
 Water Capacity : 65
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1350x580x555x830x665x230

**WB6386**

Load(kg) : 160
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1420x630x630x875x600x280

**WH6604S**

Load(kg) : 120
 Water Capacity : 66
 Sand Capacity : 4
 Wheel : 14"x2.5"
 LxHxCxAxBxh : 1480x450x545x930x675x185

**WB6417**

Load(kg) : 180
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1440x630x530x875x600x280

**WB8011**

Load(kg) : 200
 Water Capacity : 100
 Sand Capacity : 7
 Wheel : 4.00-8
 LxHxCxAxBxh : 1350x600x375x980x650x315



WB6414

Load(kg) : 160
 Water Capacity : 96
 Sand Capacity : 5.5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1470x510x585x945x610x325

**WB6414T**

Load(kg) : 160
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1470x510x585x875x600x280

**WB6415**

Load(kg) : 160
 Water Capacity : 96
 Sand Capacity : 5.5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1500x520x580x945x610x325

**WB7608**

Load(kg) : 120
 Water Capacity : 53
 Sand Capacity : 5
 Wheel : 3.50-8
 LxHxCxAxBxh : 1360x580x610x860x590x240

**WB6225**

Load(kg) : 100
 Water Capacity : 60
 Sand Capacity : 4.5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1500x640x530x905x678x267

**WB6382**

Load(kg) : 200
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1480x630x550x885x600x245

**WB6515**

Load(kg) : 130
 Water Capacity : 97
 Sand Capacity : 5.5
 Wheel : 4.00-6
 LxHxCxAxBxh : 1410x595x570x945x610x325

**WB6516**

Load(kg) : 130
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1470x510x585x875x600x280

**WB5304**

Load(kg) : 150
 Water Capacity : 72
 Sand Capacity : 5
 Wheel : 14"x2.5"
 LxHxCxAxBxh : 1480x605x560x800x660x230

**WB5012**

Load(kg) : 180
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 15"x3"
 LxHxCxAxBxh : 1400x565x575x880x600x280

**WB5008**

Load(kg) : 160
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1470x510x585x905x570x280

**WB6416**

Load(kg) : 200
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 4.00-8
 LxHxCxAxBxh : 1400x660x540x875x600x280

**WB7614**

Load(kg) : 180
 Water Capacity : 100
 Sand Capacity : 7
 Wheel : 4.00-8
 LxHxCxAxBxh : 1520x660x610x980x650x315

**WB7808**

Load(kg) : 160
 Water Capacity : 100
 Sand Capacity : 6
 Wheel : 4.00-8
 LxHxCxAxBxh : 1560x555x540x980x640x315

**WB7303S**

Load(kg) : 150
 Water Capacity : 100
 Sand Capacity : 7
 Wheel : 4.00-8
 LxHxCxAxBxh : 1580x560x550x995x700x370

**WB6413**

Load(kg) : 130
 Water Capacity : 75
 Sand Capacity : 5
 Wheel : 3.50-8
 LxHxCxAxBxh : 1470x510x585x910x640x250



WB4400

Load(kg) 120
Water Capacity 46
Sand Capacity 3.5
Wheel 3.50-8
LxHxCxAxBxh 1390x565x570x820x675x160

**WB4401**

Load(kg) 120
Water Capacity 46
Sand Capacity 3.5
Wheel 3.50-8
LxHxCxAxBxh 1390x565x570x820x675x160

**WB4682**

Load(kg) 180
Water Capacity 80
Sand Capacity 5.5
Wheel 4.00-8
LxHxCxAxBxh 1540x580x545x925x675x230

**WB7502**

Load(kg) 180
Water Capacity 78
Sand Capacity 5
Wheel 14"x2.5"
LxHxCxAxBxh 1490x580x540x910x635x230

**WB5300**

Load(kg) 180
Water Capacity 75
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh 1480x605x560x800x660x230

**WB6404F**

Load(kg) 200
Water Capacity 90
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh 1440x600x525x880x600x330

**WB7300**

Load(kg) 180
Water Capacity 97
Sand Capacity 6
Wheel 4.00-8
LxHxCxAxBxh 1590x560x570x980x680x275

**WB7303**

Load(kg) 180
Water Capacity 97
Sand Capacity 6
Wheel 4.00-8
LxHxCxAxBxh 1580x560x550x980x680x275

**WB6401-1**

Load(kg) 130
Water Capacity 75
Sand Capacity 6
Wheel 3.50-8 PU
LxHxCxAxBxh 1460x595x560x940x540x250

**WB6402**

Load(kg) 130
Water Capacity 75
Sand Capacity 6
Wheel 3.50-8
LxHxCxAxBxh 1560x520x540x940x540x250

**WB7203**

Load(kg) 180
Water Capacity 45
Sand Capacity 4
Wheel 4.00-8
LxHxCxAxBxh 1550x640x565x915x720x185

**WB7504**

Load(kg) 180
Water Capacity 78
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh 1470x590x555x910x630x230

**WB6606S**

Load(kg) 200
Water Capacity 100
Sand Capacity 6
Wheel 14"x2.5"
LxHxCxAxBxh 1500x520x555x980x640x315

**WB5011**

Load(kg) 150
Water Capacity 85
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh 1495x650x605x905x570x280



PR1301(14"x3.50-8)



PR1305(16"x4.00-8)



PW2049(14"x2.5")



PU029(16"x4.00-8)



PU028(16"x4.00-8)



PU026(16"x4.00-8)

WB4679

Load(kg) 180
Water Capacity 80
Sand Capacity 5.5
Wheel 14"x2.5"
LxHxCxAxBxh

**WB7503**

Load(kg) 180
Water Capacity 78
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh

**WB6288**

Load(kg) 200
Water Capacity 65
Sand Capacity 5
Wheel 13"x3"
LxHxCxAxBxh

**WB6384**

Load(kg) 160
Water Capacity 75
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh

**WB4681**

Load(kg) 180
Water Capacity 80
Sand Capacity 5.5
Wheel 14"x2.5"
LxHxCxAxBxh

**WB6404**

Load(kg) 180
Water Capacity 65
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh

**WB6503**

Load(kg) 130
Water Capacity 60
Sand Capacity 5
Wheel 13"x3"
LxHxCxAxBxh

**WB4680**

Load(kg) 180
Water Capacity 80
Sand Capacity 5.5
Wheel 4.00-8
LxHxCxAxBxh

**WB7400R**

Load(kg) 180
Water Capacity 78
Sand Capacity 5
Wheel 4.00-8
LxHxCxAxBxh

**WB7300R**

Load(kg) 180
Water Capacity 97
Sand Capacity 6
Wheel 4.00-8
LxHxCxAxBxh

**WB6800-1**

Load(kg) 130
Water Capacity 65
Sand Capacity 5
Wheel 3.00-8
LxHxCxAxBxh

**WB7301**

Load(kg) 160
Water Capacity 97
Sand Capacity 6
Wheel 4.00-8
LxHxCxAxBxh

**WB7401**

Load(kg) 160
Water Capacity 78
Sand Capacity 5
Wheel 14"x4"
LxHxCxAxBxh

**WB7402**

Load(kg) 180
Water Capacity 100
Sand Capacity 7
Wheel 4.00-8
LxHxCxAxBxh

**WB3037**

Load(kg) 200
Water Capacity -
Sand Capacity -
Wheel 4.00-8
LxVxH



WB8900

Load(kg) 200
Water Capacity 70
Sand Capacity 4.5
Wheel 4.00-8
LxHxCxAXBxh

**WB5600**

Load(kg) 160
Water Capacity 72
Sand Capacity 5
Wheel 4.00-8
LxHxCxAXBxh

**WB8601**

Load(kg) 200
Water Capacity 100
Sand Capacity 7
Wheel 6.50-8
LxHxCxAXBxh

**WB8615**

Load(kg) 180
Water Capacity 100
Sand Capacity 7
Wheel 4.00-8
LxHxCxAXBxh

**WB6414-1**

Load(kg) 160
Water Capacity 96
Sand Capacity 5.5
Wheel 4.00-8
LxHxCxAXBxh

**WB7400**

Load(kg) 160
Water Capacity 78
Sand Capacity 5
Wheel 3.00-8
LxHxCxAXBxh

**WB7807**

Load(kg) 180
Water Capacity 100
Sand Capacity 7
Wheel 4.00-8
LxHxCxAXBxh

**WB8614**

Load(kg) 200
Water Capacity 100
Sand Capacity 7
Wheel 6.50-8
LxHxCxAXBxh

**WB7201**

Load(kg) 130
Water Capacity 78
Sand Capacity 5
Wheel 3.00-8
LxHxCxAXBxh

**WB7800**

Load(kg) 150
Water Capacity 100
Sand Capacity 7
Wheel 4.50-8
LxHxCxAXBxh

**WB8630**

Load(kg) 180
Water Capacity 100
Sand Capacity 7
Wheel 4.00-8 PU
LxHxCxAXBxh

**WB7802**

Load(kg) 150
Water Capacity 110
Sand Capacity 7
Wheel 4.00-8
LxHxCxAXBxh

**WB6600-1**

Load(kg) 160
Water Capacity 97
Sand Capacity 6
Wheel 4.00-8 PU
LxHxCxAXBxh

**WB6602**

Load(kg) 160
Water Capacity 97
Sand Capacity 6
Wheel 4.00-8
LxHxCxAXBxh

**WB8617**

Load(kg) 150
Water Capacity 110
Sand Capacity 7
Wheel 4.00-8
LxHxCxAXBxh

**WB6019**

Load(kg) 200
Water Capacity 100
Sand Capacity 6
Wheel 6.50-8
LxHxCxAXBxh



WH4400

Load(kg) 120
Water Capacity 66
Sand Capacity 4
Wheel 3.50-8
LxHxCxAxBxh 1480x450x545x930x675x185

**WH5401**

Load(kg) 160
Water Capacity 75
Sand Capacity 5
Wheel 3.50-8
LxHxCxAxBxh 1440x465x580x910x635x230

**WH4400-1**

Load(kg) 120
Water Capacity 66
Sand Capacity 4
Wheel 3.50-8
LxHxCxAxBxh 1480x450x545x930x675x185

**WH6601**

Load(kg) 160
Water Capacity 97
Sand Capacity 6
Wheel 4.00-8
LxHxCxAxBxh 1495x560x540x980x680x275

**WH7801**

Load(kg) 150
Water Capacity 100
Sand Capacity 7
Wheel 4.00-8
LxHxCxAxBxh 1530x520x565x1010x690x330

**WH7803**


Load(kg) 150
Water Capacity 100
Sand Capacity 7
Wheel 4.00-8
LxHxCxAxBxh 1520x680x750x1010x690x330

**WH8803**

Load(kg) 160
Water Capacity 120
Sand Capacity 8
Wheel 4.00-8
LxHxCxAxBxh 1560x845x790x1095x845x395

**WH9600**

Load(kg) 180
Water Capacity 130
Sand Capacity 10
Wheel 4.00-8
LxHxCxAxBxh 1520x895x840x1105x895x490

**HT1101**

Load(kg): 90
Solid Tyre: 5"x1.15"
Body Size(LxWxH): 1050x400x410
Toe Plate Width(W₂)(mm): 280

**HT1102**

Load(kg): 30
Solid Tyre: 6"x1.25"
Body Size(LxWxH): 1004x403x310
Toe Plate Width(W₂)(mm): 150

**HT1105B**

Load(kg): 90
Solid Tyre: 5.75"x1.3"
Pneumatic Tyre: -
Body Size(LxWxH): 1110x400x408
Toe Plate Width(W₂)(mm): 240

**HT1312**

Load(kg): 75
Solid Tyre: 6.5"x1.75"
Pneumatic Tyre: -
Body Size(LxWxH): 1160x605x780
Toe Plate Width(W₂)(mm): 350

**HT1423**

Load(kg): 100
Solid Tyre: -
Pneumatic Tyre: 2.50-4
Body Size(LxWxH): 1090x540x475

**HT1410**

Load(kg): 150
Solid Tyre: -
Pneumatic Tyre: 8"x2.5"-4
Body Size(LxWxH)(MM): 1180x490x670
Toe Plate Width(W₂)(mm): 415

**HT1426**

Load(kg): 100
Solid Tyre: -
Pneumatic Tyre: 3.00-4
Body Size(LxWxH): 1142(790)x422x524
Toe Plate Width(W₂)(mm): 285

**HT1428**

Load(kg): 200
Solid Tyre: 10"x2"
Pneumatic Tyre: -
Body Size(LxWxH): 1230x483x505
Toe Plate Width(W₂)(mm): 260



**HT1509**

Load(kg): 80
Solid Tyre: 8"x1.75"
Pneumatic Tyre: -
Body Size(LxWxH): 1050x425x380
Toe Plate Width(W₂)(mm): 200

**HT1429**

Load(kg): 200
Solid Tyre: -
Pneumatic Tyre: 3.00-4
Body Size(LxWxH): 1115x525x450

**HT1561**

Load(kg): 80
Solid Tyre: 8"x1.75"
Pneumatic Tyre: -
Body Size(LxWxH): 1000x456x362
Toe Plate Width(W₂)(mm): 180

**HT1823**

Load(kg): 250
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1275x614x560
Toe Plate Width(W₂)(mm): 301

**HT1888**

Load(kg): 150
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1310x470x690
Toe Plate Width(W₂)(mm): 310

**HT2022**

Load(kg): 200
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1130x555x425
Toe Plate Width(W₂)(mm): 185

**HT1563**

Load(kg): 100
Solid Tyre: 8"x2"
Pneumatic Tyre: -
Body Size(LxWxH): 1003x425x369
Toe Plate Width(W₂)(mm): 185

**HT1583**

Load(kg): 100
Solid Tyre: 8"x2"
Pneumatic Tyre: -
Body Size(LxWxH): 1120x530x405
Toe Plate Width(W₂)(mm): 200

**HT1586**

Load(kg): 120
Solid Tyre: 8"x2"
Pneumatic Tyre: -
Body Size(LxWxH): 1295x470x505

**HT1827**

Load(kg): 250
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1249x650x578
Toe Plate Width(W₂)(mm): 325

**HT1827AN**

Load(kg): 180
Solid Tyre: -
Pneumatic Tyre: 3.00-4
Body Size(LxWxH): 1115X520X470(840)
Toe Plate Width(W₂)(mm): 180/545

**HT1828**

Load(kg): 250
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"-4
Body Size(LxWxH): 1315x550x495
Toe Plate Width(W₂)(mm): 228

**HT1606**

Load(kg): 150
Solid Tyre: 10"x2"
Pneumatic Tyre: -
Body Size(LxWxH): 1320x580x575
Toe Plate Width(W₂)(mm): 320

**HT1805**

Load(kg): 200
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1310x550x460
Toe Plate Width(W₂)(mm): 220

**HT1809**

Load(kg): 200
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1310x550x460
Toe Plate Width(W₂)(mm): 220

**HT1830**

Load(kg): 200
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1130x555x425
Toe Plate Width(W₂)(mm): 185

**HT1832**

Load(kg): 200
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1170x465x480
Toe Plate Width(W₂)(mm): 220

**HT1849**

Load(kg): 180
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1120x522x460
Toe Plate Width(W₂)(mm): 200

**HT1850**

Load(kg): 150
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1249x650x578
Toe Plate Width(W₂)(mm): 325

**HT1860**

Load(kg): 100
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1225x506x480

**HT1861**

Load(kg): 100
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1290x506x480

**PH150**

Load(kg): 150
Castor: 4"
HxHxLxW: 820x139.5x735x475

**HT1862**

Load(kg): 100
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1295x508x480

**HT1863**

Load(kg): 100
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"
Body Size(LxWxH): 1240x510x465
Toe Plate Width(W₂)(mm): 230

**HT1878**

Load(kg): 100
Solid Tyre: -
Pneumatic Tyre: 3.00-4
Body Size(LxWxH): 1180x525x500

**PH310**

Load(kg): 300
Castor: 8"
HxHxLxW: 940x290x915x615

**PH300**

Load(kg): 300
Castor: 5"
HxHxLxW: 863x209x916x616

**PH301**

Load(kg): 300
Castor: 8"
HxHxLxW: 915x290x915x615

**HT1881**

Load(kg): 250
Solid Tyre: -
Pneumatic Tyre: 10"x3.5"-4
Body Size(LxWxH): 1310x545x460
Toe Plate Width(W₂)(mm): 227

**HT1892M**

Load(kg): 250
Solid Tyre: -
Pneumatic Tyre: 3.00-4
Body Size(LxWxH): 1120x570x488
Toe Plate Width(W₂)(mm): 198

**HT1893**

Load(kg): 200
Solid Tyre: -
Pneumatic Tyre: 3.00-4
Body Size(LxWxH): 1200x595x670
Toe Plate Width(W₂)(mm): 125

**PH153**

Load(kg): 100
Castor: 4"
HxHxLxW: 830/665x210/165x915x615

**PH152**

Load(kg): 100
Castor: 4"
HxHxLxW: 823x143x710x156

**PH1556**

Load(kg): 60
Castor: 4"
HxHxLxW: 860x235x672x120

TC0515

Body Size:L1040xW516xH300

**TC0515****TC0517**

Body Size:L1180xW580xH320

**TC0517****TC0518**

Body Size:L1230xW580xH400

**TC0518****TC0516**

Body Size:L1010xW540xH360

**TC0516****TC0519**

Body Size:L1010xW540xH320

**TC0519****TC0520**

Body Size:L1230xW580xH350

**TC0520****TC0523**

Body Size:L1000xW660xH400

**TC0523****TC0525**

Body Size:L1000xW660xH300

**TC0525****WB0400**Load Capacity(kg): 30
Wheel: 10"x3.00-4 Air
Body Size: L1140xH750xC470xA860XB490xH330**TC1803**Load(kg) 80
Solid Tyre -
Pneumatic Tyre 10"x3.5", 13"x3"
Body Size(LXW1XH)(mm) 850x570x700**TC0101**Load(kg) 90
Solid Tyre -
Pneumatic Tyre -
Body Size(LXW1XH)(mm) -**TC1801A**Load(kg) 150
Solid Tyre -
Pneumatic Tyre 10"x3.5"
Body Size(LXW1XH)(mm) 995x495x865**TC1812**Load(kg) 150
Solid Tyre -
Pneumatic Tyre 3.00-4
Body Size(LXW1XH)(mm) 935x600x570**WB3037**Load(kg) 200
Solid Tyre -
Pneumatic Tyre 4.00-8
Body Size(LXW1XH)(mm) 1570x930x720**TC2145**Load(kg) 121
Capacity(L) 75
Pneumatic Tyre 10"x3.50-4
Body Size(LXW1XH)(mm) 1110x530x960**TC0003**Load(kg) 150
Castor -
Using Height 62cm**SC1350**Load(kg) 100
Castor 5"
LxWxD 725x410x825



TC0500

Load(kg) 300
Solid Tyre 3"
Pneumatic Tyre -
Body Size(LXW1XH)(mm) 760x460x140



TC0506

Load(kg) 180
Solid Tyre 3"
Pneumatic Tyre -
Inside Size(LXW)(mm) 600x400



TC0509

Load(kg) 150
Solid Tyre 16"
Pneumatic Tyre -
Body Size(LXW1XH)(mm) -



TC1840

Load(kg) 500
Solid Tyre -
Pneumatic Tyre 13"x5.00-6
Body Size(LXW1XH)(mm) 1350x620x1100



TC4260

Load(kg) 300
Solid Tyre -
Pneumatic Tyre 13"x5.00-6
Body Size(LXW1XH)(mm) -



TC4261

Load(kg) 1000
Solid Tyre -
Pneumatic Tyre 16"x4.00-8
Plate Size(LXW)(mm) 1510x770



TC 2026

Load Capacity(kg): 25
Wheel: 9"x2.3" Solid
Body Size: L1000xW485xH690



TC 2027

Load Capacity(kg): 15
Wheel: 8" Solid
Body Size: L1050xW460xH750



TC 2028

Load Capacity(kg): 30
Wheel: 13"x5.00-6 Air
Body Size: L1100xW770xH700

MR WHEELS





PR1408(200x50)



PR1002(200x50)



PR1003(200x50)



PR1004(200x50)



PR1039(10"x3.50-4)



PR1308(10"x3.50-4)



PR1309(10"x3.50-4)



PR1310(10"x3.50-5)



PR1005(8"x2.50-4)



PR1400(8"x2.50-4)



PR1006(8"x2.50-4)



PR1403(8"x2.50-4)



PR1040(10"x4.00-4)



PR1303(13"x3.25/3.00-8)



PR1311(13"x3.00-8)



PR1312(3.50-7)



PR1800(10"x3.00-4)



PR1007(10"x3.00-4)



PR1805(10"x3.00-4)



PR1800-3(10"x3.50-4)



PR1010(10"x3.50-4)



PR1804-3(10"x3.50-4)



PR1011(12"x3.50-5)



PR1307(12"x3.50-6)



PR1804(10"x3.50-4)



PR1809(10"x3.50-4)



PR1008(10"x3.50-4)



PR1009(10"x3.50-4)



PR1013(13"x3.50-6)



PR2403-3(13"x4.00-6)



PR1014(13"x4.00-6)



PR1012(12"x3.50-5)



PR1016
(13"x3.25/3.00-8)



PR1017
(13"x3.25/3.00-8)



PR1018(3.50-7)



PR1015
(13"x3.25/3.00-8)



PR1032(16"x4.00-8)



PR1033(16"x4.00-8)



PR1034(16"x4.00-8)



PR1035(16"x4.00-8)



PR1020(14"x3.50-8)



PR1021(14"x3.50-8)



PR1022(14"x3.50-8)



PR1019
(13"x3.25/3.00-8)



PR1036(16"x4.00-8)



PR1037(16"x4.00-8)



PR1038(16"x4.00-8)



PR1301(16"x4.00-8)



PR1024(14"x3.50-8)



PR1025(14"x3.50-8)



PR1026(14"x3.50-8)



PR1027(14"x3.50-8)



PR1299(14"x3.50-8)



PR1300(16"x4.00-8)



PR1301(14"x3.50-8)



PR1302(16"x4.00-8)



PR1028(16"x4.50-8)



PR1023(14"x3.50-8)



PR1030(16"x4.00-8)



PR1031(16"x4.00-8)



PR1303(16"x4.00-8)




PR1304(14"x3.50-8)



PR1305(16"x4.00-8)



PR1306(16"x6.50-8)



PU001(6"x2")



PU002(8"x2.50-4)



PU003(8"x2.50-4)



PU004(10"x3.00-4)



PU017(10"x3.50-4)



PU018(10"x3.50-4)



PU019(16"x4.00-8)



PU020(16"x4.00-8)



PU005(280x65)



PU006(10"x3.50-4)



PU007(10"x3.50-4)



PU008(10"x3.50-4)



PU021(12"x3.50-6)



PU022(16"x4.00-8)



PU023(14"x3.50-8)



PU024(16"x4.00-8)



PU009(10"x3.50-4)



PU010(10"x3.00-5)



PU011(3.50-6)




PU012(11"x3.50-6)



PU025(14"x3.50-8)



PU026(16"x4.00-8)



PU027(14"x3.50-8)



PU028(16"x4.00-8)



PU013(13"x3.25-8)



PU014(13"x3.25-8)



PU015(13"x5.00-6)



PU016(14"x3.50-8)



PU029(16"x4.00-8)



PU030(16"x4.00-8)



PU031(13"x3.50-6)



PU032(16"x6.50-8)



PW2018(10"x1.75")



PW2019(10"x2.5")



PW2020(10"x2.5")



PW2021(10"x3")



PW2034(8"x2.2")



PW2035(8"x2.2")



PW2036(8"x2")



PW2037(13"x3")



PW2022(8"x2.2")



PW2023(8"x2.50-4)



PW2024(10"x2")



PW2025(6"x1.4")



PW2038(14"x1.75)



PW2039(13"x3")



PW2040(33x6.5cm)



PW2041(34.5x6cm)



PW2026(7"x1.5")



PW2027(8"x1.75")



PW2028(6"x1.5")



PW2029(8"x1.75")



PW2042(37x5.8cm)



PW2043(39x6.8cm)



PW2044(35x7.2cm)



PW2045(36x7.5cm)



PW2030(8"x2")



PW2031(10"x2.5")



PW2032(10"x2.5")



PW2033(13"x3")



PW2046(38.5x7cm)



PW2047(38x7.9cm)



PW2048(16"x4")



PW2049(14"x2.5")